Author Index

Adlercreutz, H.: *See* Mazur, W.M., 193
Akoh, C.C., Long, K.D., Flatt, W.P., Rose, B.S., and Martin, R.J. Effects of a structured lipid, Captex, and a protein-based fat replacer, Simplesse, on energy metabolism, body weight, and serum lipids in lean and obese Zucker rats, 267
Albright, C.D., Salganik, R.I., Kaufmann, W.K., Vrablic, A.S., and Zeisel, S.H. A p53-dependent G1 checkpoint function is not required for induction of apoptosis by acute choline deficiency in immortalized rat hepatocytes in culture, 476
Allen, K.G.D.: *See* Turek, J.J., 258
Ariga, T.: *See* Oi, Y., 60
Aro, A.: *See* Salminen, I., 93
Asagi, K.: *See* Kuwahata, M., 209
Atkinson, R.L. Guidelines for the initiation of obesity treatment, 546
Austic, R.E.: *See* Park, B.-C., 687
Awad, A.B., Hartati, M.S., and Fink, C.S. Phytosterol feeding induces alteration in testosterone metabolism in rat tissues, 712

Baik, M.G.: *See* Choi, Y.J., 380
Bardócz, S., Hughes, E.L., Grant, G., Brown, D.S., Duguid, T.J., and Pusztai, A. Uptake, inter-organ distribution and metabolism of dietary putrescine in the rat, 332
Bardocz, S.: *See* Pusztai, A., 31
Bartnikowska, E.: *See* Gorinstein, S., 223
Bartolini, G.: *See* Ferretti, A., 88
Barua, A.B., Duitsman, P.K., and Olson, J.A. The role of vitamin A status in the conversion of all-*trans* retinoyl β-glucuronide to retinoic acid in male Sprague-Dawley rats, 8
Barua, A.B.: *See* Genchi, G., 676
Bates, C.J.: *See* Tsuchiya, H., 402
Beard, J.L.: *See* Erikson, K.M., 276
Behr, S.R.: *See* Younes, H., 613
Belmont, C.A.: *See* Halpner, A.D., 355
Berdanier, C.D.: *See* Jia, T., 170
Besson, C.: *See* Petitet, S., 652
Bhaduri, A.N.: *See* Halder, J., 75
Bidlack, W.R.: *See* Genchi, G., 676
Bird, R.P.: *See* Yao, K., 236
Blomhoff, R.: *See* Myhre, A.M., 705
Blumberg, J.B.: *See* Halpner, A.D., 355
Blumberg, J.B.: *See* Martin, A., 201
Boone, B.E.: *See* Boyd, S.G., 471
Boyd, S.G., Boone, B.E., Smith, A.R., Conners, J., and Dohm, G.L. Combined dietary chromium picolinate supplementation and an exercise program leads to a reduction of serum cholesterol and insulin in college-age subjects, 471
Bragado, M.J., Sánchez-Bernal, C., García, L.J., López, M.A., San Román, J.I., and Calvo, J.J. Effect of high fiber intake on pancreatic lycosomal stability in ethanol-fed rats, 164
Bray, G.A. What is the ideal body weight? 489
Brown, D.S.: *See* Bardócz, S., 332
Bruns, N.J.: *See* Jackson, J.G., 2
Bundrant, H.M.: *See* Mercer, L.P., 142
Butler, J.A.: *See* Sun, Y., 23

Cabellero, B., Davis, S., Davis, C.E., Ethelbah, B., Evans, M., Lohman, T., Stephenson, L., Story, M., and White, J. Pathways: A school-based program for the primary prevention of obesity in American Indian children, 535
Calpena, R.: *See* Yago, M.D., 186
Calvo, J.J.: *See* Bragado, M.J., 164
Canfield, L.M.: *See* Hu, X., 567
Canfield, L.M.: *See* Liu, Y., 178
Card, R.T.: *See* Robinson, L.J., 457
Carmona, A. A simple in vitro perfusion system to measure intestinal nutrient uptake, 52
Caro, J.F.: *See* Heiman, M.L., 553
Chanussot, F.: *See* Polichetti, E., 659
Chen, Y.: *See* Heiman, M.L., 553
Choi, Y.J., Jang, K., Yim, D.S., Baik, M.G., Myung, K.H., Kim, Y.S., Lee, H.J., Kim, J.S., and Han, I.K. Effects of compensatory growth on the expression of milk protein gene and biochemical changes of the mammary gland in Holstein cows, 380
Chung, H.J. and Koo, S.I. Estradiol replacement elevates the serum and tissue levels of α-tocopherol in ovariectomized rats, 67
Conners, J.: *See* Boyd, S.G., 471
Connor, J.R.: *See* Erikson, K.M., 276
Crespí, C.: *See* Proenza, A.M., 697

Daily, J.W., III, Hongu, N., Mynatt, R.L., and Sachan, D.S. Choline supplementation increases tissue concentrations of carnitine and lowers body fat in guinea pigs, 464
d'Aquino, M.: *See* Merendino, N., 294
Davis, C.E.: *See* Caballero, B., 535
Davis, S.: *See* Caballero, B., 535
de Alaniz, M.J.T.: *See* Marín, M.C., 388
Demigné, C.: *See* Petitet, S., 652
Demigné, C.: *See* Younes, H., 613
Dohm, G.L.: *See* Boyd, S.G., 471
Dolnikowski, G.G.: *See* Tang, G., 408
Douglass, L.W.: *See* Souza, M.C.P., 396
Driskell, J.A.: *See* Sulli, K.C., 344
Duffy, L.C.: *See* Walker, W.A., 668
Duguid, T.J.: *See* Bardócz, S., 332
Duitsman, P.K.: *See* Barua, A.B., 8
Duke, J.A.: *See* Mazur, W.M., 193

Eaton, K.K., Howard, M., and Hunnisett, A. Urinary histidine excretion in patients with classical allergy (type A allergy), food intolerance (type B allergy), and fungal-type dysbiosis, 586
Edwards, A.M.: *See* Silva, E., 149
Eghtedary, K.: *See* Kritchevsky, D., 582
Eifler, R.: *See* Pusztai, A., 31
Emmert, J.L.: *See* Mangian, H.F., 47
Erikson, K.M., Beard, J.L., and Connor, J.R. Distribution of brain iron, ferritin, and transferrin in the 28-day-old piglet, 276
Ethelbah, B.: *See* Caballero, B., 535
Evans, M.: *See* Caballero, B., 535
Ewen, S.W.B.: *See* Pusztai, A., 31

Ferretti, A., Nelson, G.J., Schmidt, P.C., Bartolini, G., Kelley, D.S., and Flanagan, V.P. Dietary docosahexaenoic acid reduces the thromboxane/prostacyclin synthetic ratio in humans, 88
Fink, C.S.: *See* Awad, A.B., 712
Flanagan, V.P.: *See* Ferretti, A., 88
Flatt, W.P.: *See* Akoh, C.C., 267
Fleming, J.V.: *See* Rees, W.D., 136
Franci, O.: *See* Merendino, N., 294
Fukuchi, S.G.: *See* Rolandelli, R.H., 28

Garcia, J.: *See* Lespine, A., 316
García, L.J.: *See* Bragado, M.J., 164
Garleb, K.A.: *See* Younes, H., 613
Garrison, R.J. Defining obesity: An adventure in cardiovascular disease epidemiology, 493
Garrow, T.A.: *See* Mulligan, J.D., 351
Gelencsér, E.: *See* Pusztai, A., 31
Genchi, G., Barua, A.B., Wang, W., Bidlack, W.R., and Olson, J.A. The effects of pH on the enzymatic formation of β-glucuronides of various retinoids by induced and noninduced microsomal UDPGA-glucuronosyltransferases of several rat tissues in vitro, 676
Gentili, V.: *See* Merendino, N., 294
German, J.B.: *See* Schramm, D.D., 560
Ghisolfi, J.: *See* Lespine, A., 316
Giraud, D.W.: *See* Sulli, K.C., 344
González, T.: *See* Silva, E., 149
Gorecki, D.K.J.: *See* Gottschall-Pass, K.T., 621
Gorinstein, S., Kulasek, G.W., Bartnikowska, E., Leontowicz, M., Zemser, M., Morawiec, M., and Trakhtenberg, S. The influence of persimmon peel and persimmon pulp on the lipid metabolism and antioxidant activity of rats fed cholesterol, 223
Gorinstein, S., Zemser, M., Weisz, M., Halevy, S., Martin-Belloso, O., and Trakhtenberg, S. The influence of alcohol-containing and alcohol-free beverages on

J. Nutr. Biochem. 9:719–722, 1998

© Elsevier Science Inc. 1998

655 Avenue of the Americas, New York, NY 10010

0955-2863/98/$–see front matter

lipid levels and lipid peroxides in serum of rats, 682
Gorinstein, S., Zemser, M., Weisz, M., Haruenkit, R., and Trakhtenberg, S. The influence of dry matter of different alcoholic beverages on lipids, proteins, and antioxidant activity in serum of rats, 131
Gottschall-Pass, K.T., Grahn, B.H., Gorecki, D.K.J., Semple, H.A., and Paterson, P.G. Depression of the electroretinogram in rats deficient in zinc and taurine during prenatal and postnatal life, 621
Grahn, B.H.: *See* Gottschall-Pass, K.T., 621
Grant, G.: *See* Bardócz, S., 332
Grant, G.: *See* Pusztai, A., 31

Ha, P-C.: *See* Sun, Y., 23
Hagen, E.: *See* Myhre, A.M., 705
Haglund, O., Wallin, R., Wretling, S., Hultberg, B., and Saldeen, T. Effects of fish oil alone and combined with long chain (n-6) fatty acids on some coronary risk factors in male subjects, 629
Hajri, T., Pronczuk, A., and Hayes, K.C. Linoleic acid-rich diet increases hepatic taurine and cholesterol 7α-hydroxylase activity in conjunction with altered bile acid composition and conjugation in gerbils, 249
Halder, J., Tamuli, P., and Bhaduri, A.N. Isolation and characterization of polyphenol oxidase from Indian tea leaf (*Camellia sinensis*), 75
Halevy, S.: *See* Gorinstein, S., 682
Halpner, A.D., Handelman, G.J., Belmont, C.A., Harris, J.M., and Blumberg, J.B. Protection by vitamin C of oxidant-induced loss of vitamin E in rat hepatocytes, 355
Han, I.K.: *See* Choi, Y.J., 380
Handelman, G.J.: *See* Halpner, A.D., 355
Haq, A.-u.: *See* Mercer, L.P., 142
Harp, J.B. An assessment of the efficacy and safety of orlistat for the long-term management of obesity, 516
Harries, D.N.: *See* Rees, W.D., 136
Harris, J.M.: *See* Halpner, A.D., 355
Hartati, M.S.: *See* Awad, A.B., 712
Haruenkit, R.: *See* Gorinstein, S., 131
Hayes, K.C.: *See* Hajri, T., 249
He, L. and Luz Fernandez, M. Dietary carbohydrate type and fat saturation independently regulate hepatic cholesterol and LDL metabolism in guinea pigs, 37
Heaney, R.P.: *See* Shen, X., 298
Heiman, M.L., Chen, Y., and Caro, J.F. Leptin participates in the regulation of glucocorticoid and growth hormone axes, 553
Hoehler, D., Marquardt, R.R., McIntosh, A.R., and Madhyastha, S. Free radical-mediated lipid peroxidation induced by T-2 toxin in yeast (*Kluyveromyces marxianus*), 370
Hongu, N.: *See* Daily, J.W., III, 464
Howard, M.: *See* Eaton, K.K., 586
Howe, J.C.: *See* Souza, M.C.P., 396
Hu, M.-L. and Ng, H.P. Dietary selenium and vitamin E affect adrenal and brain dehydroepiandrosterone levels in young rats, 339
Hu, X., White, K.M., Jacobsen, N.E., Mangelsdorf, D.J., and Canfield, L.M. Inhibition of growth and cholesterol synthesis in breast cancer cells by oxidation products of β-carotene, 567
Hughes, E.L.: *See* Bardócz, S., 332
Hultberg, B.: *See* Haglund, O., 629
Humphries, L.L.: *See* Mercer, L.P., 142
Hunnisett, A.: *See* Eaton, K.K., 586

Ide, T. Dietary regulation of hepatic enzymes in taurine biosynthesis in rats, 99
Inserra, P.: *See* Jiang, S., 362
Iovanna, C.: *See* Polichetti, E., 659
Iwai, K.: *See* Oi, Y., 60

Jackson, J.G., Lien, E.L., White, S.J., Bruns, N.J., and Kuhlman, C.F. Major carotenoids in mature human milk: Longitudinal and diurnal patterns, 2
Jacobsen, N.E.: *See* Hu, X., 567
Jang, K.: *See* Choi, Y.J., 380
Janisson, A.: *See* Polichetti, E., 659
Jauhiainen, M.: *See* Salminen, I., 93
Jia, T., Wickwire, K., Mathews, C., and Berdanier, C.D. Neither the cholesterol or arginine content of whole egg explains its beneficial effect on glucose homeostasis in BHE/cdb rats, 170
Jiang, S., Lee, J., Zhang, Z., Inserra, P., Solkoff, D., and Watson, R.R. Dehydroepiandrosterone synergizes with antioxidant supplements for immune restoration in old as well as retrovirus-infected mice, 362

Kalaiselvi, T. and Panneerselvam, C. Effect of L-carnitine on the status of lipid peroxidation and antioxidants in aging rats, 575
Kato, A.: *See* Kuwahata, M., 209
Kaufmann, W.K.: *See* Albright, C.D., 476
Kelley, D.S.: *See* Ferretti, A., 88
Kempa-Steczko, A.: *See* Shen, X., 298
Kim, J.S.: *See* Choi, Y.J., 380
Kim, Y.S.: *See* Choi, Y.J., 380
Klimis-Tavantzis, D.J.: *See* Yang, P., 324
Klurfeld, D.M.: *See* Kritchevsky, D., 582
Kohri, H.: *See* Kuwahata, M., 209
Kominato, Y.: *See* Oi, Y., 60
Koo, S.I.: *See* Chung, H.J., 67
Koruda, M.J.: *See* Rolandelli, R.H., 28
Kritchevsky, D., Tepper, S.A., Kuksis, A., Eghtedary, K., and Klurfeld, D.M. Cholesterol vehicle in experimental atherosclerosis. 21. Native and randomized lard and tallow, 582
Kritchevsky, D.: *See* Nicolosi, R.J., 591
Kuhlman, C.F.: *See* Jackson, J.G., 2
Kuksis, A.: *See* Kritchevsky, D., 582
Kulasek, G.W.: *See* Gorinstein, S., 223
Kuwahata, M., Oka, T., Asagi, K., Kohri, H., Kato, A., and Natori, Y. Effect of branched-chain amino acids on albumin gene expression in the liver of galactosamine-treated rats, 209

La Droitte, P.: *See* Polichetti, E., 659
Lafont, H.: *See* Polichetti, E., 659
Lairon, D.: *See* Polichetti, E., 659
Lasko, C.M.: *See* Yao, K., 236
Laurie, T.J.: *See* Mulligan, J.D., 351
Lawton, C.: *See* Nicolosi, R.J., 591
Lee, H.J.: *See* Choi, Y.J., 380
Lee, J.: *See* Jiang, S., 362
Lee, R.G.: *See* Mangian, H.F., 47
Leontowicz, M.: *See* Gorinstein, S., 223
Lespine, A., Periquet, B., Garcia, J., Ghisolfi, J., and Thouvenot, J.-P. Retinol and retinyl ester concentrations in rat tissues during total parenteral nutrition, 316
Leung, F.Y. Trace elements that act as antioxidants in parenteral micronutrition, 304
Levine, M.: *See* Rumsey, S.C., 116
Li, Y.: *See* Turek, J.J., 258
Lichtenstein, A.H. *Trans* fatty acids and blood lipid levels, Lp(a), parameters of cholesterol metabolism, and hemostatic factors, 244
Lien, E.L.: *See* Jackson, J.G., 2
Liu, Y., Xu, M.J., and Canfield, L.M. Enzymatic hydrolysis, extraction, and quantitation of retinol and major carotenoids in mature human milk, 178
Lladó, I.: *See* Proenza, A.M., 697
Lohman, T.: *See* Caballero, B., 535
Long, K.D.: *See* Akoh, C.C., 267
López, M.A.: *See* Bragado, M.J., 164
Lorec, A.-M.: *See* Polichetti, E., 659
Luepker, R.V., Perry, C.L., Osganian, V., Nader, P.R., Parcel, G.S., Stone, E.J., and Webber, L.S. The Child and Adolescent Trial for Cardiovascular Health (CATCH), 525
Luna, A.: *See* Polichetti, E., 659
Lutz, M.: *See* Sánchez, V., 155
Luz Fernandez, M.: *See* He, L., 37

Madhyastha, S.: *See* Hoehler, D., 370
Maier, J.A.M., Malpuech-Brugère, C., Rock, E., Rayssiguier, Y., and Mazur, A. Serum from magnesium-deficient rats affects vascular endothelial cells in culture: Role of hyperlipemia and inflammation, 17
Malpuech-Brugère, C.: *See* Maier, J.A.M., 17
Mangelsdorf, D.J.: *See* Hu, X., 567
Mangian, H.F., Lee, R.G., Paul, G.L., Emmert, J.L., and Shay, N.F. Zinc defi-

ciency suppresses plasma leptin concentrations in rats, 47
Mañas, M.: *See* Yago, M.D., 186
Marín, M.C. and de Alaniz, M.J.T. Relationship between dietary oil during gestation and lactation and biosynthesis of polyunsaturated fatty acids in control and in malnourished dam and pup rats, 388
Markesbery, W.: *See* Mercer, L.P., 142
Marquardt, R.R.: *See* Hoehler, D., 370
Martin, A., Wu, D., Meydani, S.N., Blumberg, J.B., and Meydani, M. Vitamin E protects human aortic endothelial cells from cytotoxic injury induced by oxidized LDL in vitro, 201
Martin, B.R.: *See* Shen, X., 298
Martin, P.R.: *See* Pekovich, S.R., 215
Martin, R.J.: *See* Akoh, C.C., 267
Martin-Belloso, O.: *See* Gorinstein, S., 682
Martinez-Victoria, E.: *See* Yago, M.D., 186
Mataix, J.: *See* Yago, M.D., 186
Mathews, C.: *See* Jia, T., 170
Mazur, A.: *See* Maier, J.A.M., 17
Mazur, W.M., Duke, J.A., Wähälä, K., Rasku, S., and Adlercreutz, H. Isoflavonoids and lignans in legumes: Nutritional and health aspects in humans, 193
McIntosh, A.R.: *See* Hoehler, D., 370
Medrano, J.: *See* Yago, M.D., 186
Mekki, N.: *See* Polichetti, E., 659
Mercer, L.P., Haq, A.-u., Saxon Kelley, D., Bundrant, H.M., Humphries, L.L., Markesbery, W. Diet composition and sex influence bioperiodicity in rat's central nervous system histamine (H_1) receptors, 142
Merendino, N., d'Aquino, M., Franci, O., Gentili, V., and Tomassi, G. Cholesterol-rich diet enhances peripheral blood mononuclear cell proliferation, vitamin E, and glutathione levels in rabbits, 294
Meydani, M.: *See* Martin, A., 201
Meydani, S.N.: *See* Martin, A., 201
Morand, C.: *See* Petitet, S., 652
Morawiec, M.: *See* Gorinstein, S., 223
Moreno, F.S.: *See* Silveira, E.R., 446
Moxley, R.A.: *See* Sulli, K.C., 344
Mulligan, J.D., Laurie, T.J., and Garrow, T.A. An assay for betaine-homocysteine methyltransferase activity based on the microbiological detection of methionine, 351
Mutanen, M.: *See* Salminen, I., 93
Myhre, A.M., Hagen, E., Blomhoff, R., and Norum, K.R. Retinoylation of proteins in a macrophage tumor cell line J774, following uptake of chylomicron remnant retinyl ester, 705
Mynatt, R.L.: *See* Daily, J.W., III, 464
Myung, K.H.: *See* Choi, Y.J., 380

Nader, P.R.: *See* Luepker, R.V., 525
Natori, Y.: *See* Kuwahata, M., 209
Nelson, G.J.: *See* Ferretti, A., 88
Ng, H.P: *See* Hu, M.-L., 339
Nicolosi, R.J., Wilson, T.A., Lawton, C., Rogers, E.J., Wiseman, S.A., Tijburg, L.B.M., and Kritchevsky, D. The greater atherogenicity of nonpurified diets versus semipurified diets in hamsters is mediated via differences in plasma lipoprotein cholesterol distribution, LDL oxidative susceptibility, and plasma α-tocopherol concentration, 591
Nishimura, S.: *See* Oi, Y., 60
Nitta, M.: *See* Oi, Y., 60
Norum, K.R.: *See* Myhre, A.M., 705

Oi, Y., Okamoto, M., Nitta, M., Kominato, Y., Nishimura, S., Ariga, T., and Iwai, K. Alliin and volatile sulfur-containing compounds in garlic enhance the thermogenesis by increasing norepinephrine secretion in rats, 60
Oka, T.: *See* Kuwahata, M., 209
Okamoto, M.: *See* Oi, Y., 60
Olson, J.A.: *See* Barua, A.B., 8
Olson, J.A.: *See* Genchi, G., 676
Osganian, V.: *See* Luepker, R.V., 525
Ou, B-R: *See* Sun, Y., 23

Palou, A.: *See* Proenza, A.M., 697
Panneerselvam, C.: *See* Kalaiselvi, T., 575
Parcel, G.S.: *See* Luepker, R.V., 525
Park, B.-C. and Austic, R.E. Changes in hepatic branched-chain α-keto acid dehydrogenase activity in response to isoleucine imbalance in growing chickens, 687
Park, S.: *See* Tsai, Y.-H., 106
Patel, M.S.: *See* Srinivasan, M., 81
Paterson, P.G.: *See* Gottschall-Pass, K.T., 621
Paterson, P.G.: *See* Robinson, L.J., 457
Paul, G.L.: *See* Mangian, H.F., 47
Pauli, A.-M.: *See* Polichetti, E., 659
Pekovich, S.R., Poggi, V., Martin, P.R., and Singleton, C.K. Sensitivity to thiamine deficiency in cultured human cells is dependent on cell type and is enhanced in cells from thiamine-responsive megaloblastic anemia patients, 215
Periquet, B.: *See* Lespine, A., 316
Perry, C.L.: *See* Luepker, R.V., 525
Petitet, S., Morand, C., Besson, C., Rémésy, C., and Demigné, C. Effects of propionate on rat hepatocyte metabolism, 652
Pfüller, U.: *See* Pusztai, A., 31
Phillippy, B.Q.: *See* Shen, X., 298
Poggi, V.: *See* Pekovich, S.R., 215
Polichetti, E., Janisson, A., Iovanna, C., Portugal, H., Mekki, N., Lorec, A.-M., Pauli, A.-M., Luna, A., Lairon, D., La Droitte, P., Lafont, H., and Chanussot, F. Stimulation of the apo AI–high density lipoprotein system by dietary soyabean lecithin in humans, 659
Popkin, B.M. Worldwide trends in obesity, 487
Portugal, H.: *See* Polichetti, E., 659
Proenza, A.M., Roca, P., Crespí, C., Lladó, I., and Palou, A. Blood amino acid compartmentation in men and women with different degrees of obesity, 697
Pronczuk, A.: *See* Hajri, T., 249
Pusztai, A., Grant, G., Gelencsér, E., Ewen, S.W.B., Pfüller, U., Eifler, R., and Bardocz, S. Effects of an orally administered mistletoe (type-2 RIP) lectin on growth, body composition, small intestinal structure, and insulin levels in young rats, 31
Pusztai, A.: *See* Bardócz, S., 332

Qin, J.: *See* Tang, G., 408

Rasku, S.: *See* Mazur, W.M., 193
Rayssiguier, Y.: *See* Maier, J.A.M., 17
Rebouche, C.J. Carnitine absorption: Effects of sodium valproate and sodium octanoate in the Caco-2 cell culture model of human intestinal epithelium, 228
Rees, W.D., Harries, D.N., and Fleming, J.V. Partial sequences of two genes regulated by amino acid supply identified by the use of RNA fingerprinting by arbitrarily primed PCR, 136
Reeves, P.G. Copper metabolism in metallothionein-null mice fed a high-zinc diet, 598
Reeves, P.G. and Vanderpool, R.A. Organ content and fecal excretion of cadmium in male and female rats consuming variable amounts of naturally occurring cadmium in confectionery sunflower kernels (*Helianthus annuus L.*), 636
Rémésy, C.: *See* Petitet, S., 652
Rémésy, C.: *See* Younes, H., 613
Robinson, L.J., Card, R.T., Semple, H.A., and Paterson, P.G. Erythrocyte deformability in zinc deficiency measured as a function of shear stress in the ektacytometer, 457
Roca, P.: *See* Proenza, A.M., 697
Rock, E.: *See* Maier, J.A.M., 17
Rogers, E.J.: *See* Nicolosi, R.J., 591
Rolandelli, R.H., Koruda, M.J., Fukuchi, S.G., Rombeau, J.L., and Stein, T.P. The effect of glutamine- and alanine-enriched total parenteral nutrition on postburn proteolysis in the rat, 28
Rombeau, J.L.: *See* Rolandelli, R.H., 28
Rose, B.S.: *See* Akoh, C.C., 267
Rumpler, W.V.: *See* Souza, M.C.P., 396
Rumsey, S.C. and Levine, M. Absorption, transport, and disposition of ascorbic acid in humans, 116

Sachan, D.S.: *See* Daily, J.W., III, 464
Saldeen, T.: *See* Haglund, O., 629
Salganik, R.I.: *See* Albright, C.D., 476
Salminen, I., Mutanen, M., Jauhiainen, M., and Aro, A. Dietary *trans* fatty acids

increase conjugated linoleic acid levels in human serum, 93
Sánchez, V. and Lutz, M. Fatty acid composition of microsomal phospholipids in rats fed different oils and antioxidant vitamins supplement, 155
Sánchez-Bernal, C.: *See* Bragado, M.J., 164
San Román, J.I.: *See* Bragado, M.J., 164
Saxon Kelley, D.: *See* Mercer, L.P., 142
Schmidt, P.C.: *See* Ferretti, A., 88
Schoenlein, I.A.: *See* Turek, J.J., 258
Schramm, D.D. and German, J.B. Potential effects of flavonoids on the etiology of vascular disease, 560
Schwenke, D.C. Antioxidants and atherogenesis, 424
Semple, H.A.: *See* Gottschall-Pass, K.T., 621
Semple, H.A.: *See* Robinson, L.J., 457
Serrano, P.: *See* Yago, M.D., 186
Shay, N.F.: *See* Mangian, H.F., 47
Shen, X., Weaver, C.M., Kempa-Steczko, A., Martin, B.R., Phillippy, B.Q., and Heaney, R.P. An inositol phosphate as a calcium absorption enhancer in rats, 298
Silva, E., González, T., Edwards, A.M., and Zuloaga, F. Visible light induced lipoperoxidation of a parenteral nutrition fat emulsion sensitized by flavins, 149
Silveira, E.R. and Moreno, F.S. Natural retinoids and β-carotene: From food to their actions on gene expression, 446
Singleton, C.K.: *See* Pekovich, S.R., 215
Smith, A.R.: *See* Boyd, S.G., 471
Snook, J.T.: *See* Tsai, Y.-H., 106
Solkoff, D.: *See* Jiang, S., 362
Souza, M.C.P., Rumpler, W.V., Douglass, L.W., and Howe, J.C. Urinary catecholamine excretion in men and women: Between- and within-subject variation, 396
Speake, B.K.: *See* Surai, P.F., 645
Srinivasan, M. and Patel, M.S. Glycogen synthase activation in the epididymal adipose tissue from chronic hyperinsulinemic/obese rats, 81
Stein, T.P.: *See* Rolandelli, R.H., 28
Stephenson, L.: *See* Caballero, B., 535
Stevens, J. Introduction: The determination, treatment and prevention of obesity, 486
Stevens, J. Studies of the impact of age on optimal body weight, 501
Stone, E.J.: *See* Luepker, R.V., 525
Story, M.: *See* Caballero, B., 535
Suetsuna, K. Isolation and characterization of angiotensin I-converting enzyme inhibitor dipeptides derived from *Allium sativum* L (garlic), 415
Sugimura, T.: *See* Wakabayashi, K., 604
Sulli, K.C., Sun, J., Giraud, D.W., Moxley, R.A., and Driskell, J.A. Effects of β-carotene and α-tocopherol on the levels of tissue cholesterol and triglyceride in hypercholesterolemic rabbits, 344
Sun, J.: *See* Sulli, K.C., 344
Sun, Y., Ha, P-C., Butler, J.A., Ou, B-R, Yeh, J-Y, and Whanger, P. Effect of dietary selenium on selenoprotein W and glutathione peroxidase in 28 tissues of the rat, 23
Surai, P.F. and Speake, B.K. Distribution of carotenoids from the yolk to the tissues of the chick embryo, 645

Tamuli, P.: *See* Halder, J., 75
Tamura, T. Determination of food folate, 285
Tang, G., Qin, J., and Dolnikowski, G.G. Deuterium enrichment of retinol in humans determined by gas chromatography electron capture negative chemical ionization mass spectrometry, 408
Tepper, S.A.: *See* Kritchevsky, D., 582
Thouvenot, J.-P.: *See* Lespine, A., 316
Tijburg, L.B.M.: *See* Nicolosi, R.J., 591
Tomassi, G.: *See* Merendino, N., 294
Trakhtenberg, S.: *See* Gorinstein, S., 131, 223, 682
Tsai, Y.-H., Park, S., and Snook, J.T. Interactions among Lp(a) phenotypes, Lp(a) concentrations and lipoprotein response to fat-modified diets, 106
Tsuchiya, H. and Bates, C.J. Changes in collagen cross-link ratios in bone and urine of guinea pigs fed graded dietary vitamin C: A functional index of vitamin C status, 402
Tucker, H.N.: *See* Wade, A.M., 308
Turek, J.J., Li, Y., Schoenlein, I.A., Allen, K.G.D., and Watkins, B.A. Modulation of macrophage cytokine production by conjugated linoleic acids is influenced by the dietary n-6:n-3 fatty acid ratio, 258

Vanderpool, R.A.: *See* Reeves, P.G., 636
Vrablic, A.S.: *See* Albright, C.D., 476

Wade, A.M. and Tucker, H.N. Antioxidant characteristics of L-histidine, 308
Wähälä, K.: *See* Mazur, W.M., 193
Wakabayashi, K. and Sugimura, T. Heterocyclic amines formed in the diet: Carcinogenicity and its modulation by dietary factors, 604
Walker, W.A. and Duffy, L.C. Diet and bacterial colonization: Role of probiotics and prebiotics, 668
Wallin, R.: *See* Haglund, O., 629
Wang, W.: *See* Genchi, G., 676
Watkins, B.A.: *See* Turek, J.J., 258
Watson, R.R.: *See* Jiang, S., 362
Weaver, C.M.: *See* Shen, X., 298
Webber, L.S.: *See* Luepker, R.V., 525
Weisz, M.: *See* Gorinstein, S., 131, 682
Whanger, P.: *See* Sun, Y., 23
White, J.: *See* Caballero, B., 535
White, K.M.: *See* Hu, X., 567
White, S.J.: *See* Jackson, J.G., 2
Wickwire, K.: *See* Jia, T., 170
Willett, W.C. Dietary fat and body fat: Is there a relationship? 522
Wilson, T.A.: *See* Nicolosi, R.J., 591
Wiseman, S.A.: *See* Nicolosi, R.J., 591
Wretling, S.: *See* Haglund, O., 629
Wu, D.: *See* Martin, A., 201
Wurtman, J.J.: *See* Wurtman, R.J., 511
Wurtman, R.J. and Wurtman, J.J. Serotoninergic mechanisms and obesity, 511

Xu, M.J.: *See* Liu, Y., 178

Yago, M.D., Serrano, P., Mañas, M., Mataix, J., Medrano, J., Calpena, R., and Martinez-Victoria, E. Release of secretin and somatostatin after test meals with different fatty-acid composition in cholecystectomized humans, 186
Yang, P. and Klimis-Tavantzis, D.J. Manganese deficiency alters arterial glycosaminoglycan structure in the Sprague-Dawley rat, 324
Yao, K., Lasko, C.M., and Bird, R.P. Modulating role of dietary fat, energy restriction, and the effect of age on the expression of proliferating cell nuclear antigen and protein kinase C activity in prostate glands of rats, 236
Yeh, J-Y: *See* Sun, Y., 23
Yim, D.S.: *See* Choi, Y.J., 380
Younes, H., Garleb, K.A., Behr, S.R., Demigné, C., and Rémésy, C. Dietary fiber stimulates the extra-renal route of nitrogen excretion in partially nephrectomized rats, 613

Zeisel, S.H.: *See* Albright, C.D., 476
Zemser, M.: *See* Gorinstein, S., 131, 223, 682
Zhang, Z.: *See* Jiang, S., 362
Zuloaga, F.: *See* Silva, E., 149

Subject Index

Absorption, 52, 228
ACAT, 249
Activity, 487
Adhesion, 668
Adrenal, 339, 553
Age, 501
AGE (advanced glycation end product), 560
Aging, 362, 575
Alanine, 28, 52
Albumin gene expression, 209
Alcohol consumption, 396
Allergy, 586
American Indians, 535
Amino acid, 136, 308
α-Amylase, 285
Angiotensin I-converting enzyme, 415
Anorexia, 47
Anti-inflammatory, 308
Antioxidant effects, 223
Antioxidants, 304, 308, 424, 575, 591
Aorta, 324
Apoptosis, 476
Arginine, 170
Aromatase, 712
Ascorbate recycling, 116
Ascorbic acid, 116
Atherosclerosis, 17, 294, 424, 560, 582, 591
Atherosclerotic lesions, 344

B-cell proliferation, 362
Beer, 131
Behavioral therapy, 546
Betaine, 351
Betaine-homocysteine methyltransferase, 351
BHE/cdb rats, 170
Bifidobacteria, 668
Bile acids, 99, 249
Biochemistry, 586
Biorhythm, 142
Blood amino acid compartmentation, 697
Body fat, 464, 489
Body mass index, 489, 493, 546
Brain, 276
Branched-chain amino acids, 209
Branched-chain α-keto acid dehydrogenase, 687
Broiler chicken, 687
Burn, 28

Caco-2 cells, 228
Cadmium, 636
Calcium absorption, 298
Camellia sinensis, 75
cAMP, 380
Cancer, 567
Captex, 267
Carbohydrate craving, 511
Carbohydrates, 511
Cardiovascular disease, 493, 525
Carnitine, 228
L-Carnitine, 575
α-Carotene, 178
β-Carotene, 155, 178, 344, 424, 446, 567
Carotenoids, 2, 178, 645
Catabolism, 28
Cell culture, 228
Ceruloplasmin amine oxidase, 598
CETP, 244
Chick embryo, 645
Chloroplast, 75
Cholesterol, 99, 170, 244, 344, 471, 567, 591
Cholesterol 7α-hydroxylase, 249
Cholesterol-rich diet, 294
Choline deficiency, 476
Choline–carnitine, 464
Chondroitin sulfate, 324
Chromium picolinate, 471
Chylomicron remnants, 705
Cis fatty acids, 244
Collagen, 402
Comorbidities, 489, 546
Compensatory growth, 380
Conjugated linoleic acid, 93, 258
Copper, 304, 598, 636
Crosslinks, 402
Cryptoxanthin, 178
Cysteine dioxygenase, 99
Cysteinesulfinic acid decarboxylase, 99
Cytokine, 362

Dehydroascorbic acid, 116
Dehydroepiandrosterone, 339
Deoxypyridinoline, 402
Dephosphorylation, 298
δ5 desaturase, 388
δ6 desaturase, 388
Determination, 285
DHEA, 362
Diet, 88, 93, 142, 546
Diet, human hypercholesterolemia, 659
Dietary fat, 186, 236, 244, 516
Dietary fat saturation, 37
Dietary fiber, 99, 613
Dietary oils, 155
Dietary protein, 613
Dimethylacetothetin, 351
Dimethylpropiothetin, 351
Dipeptide from *Allium sativum* L. (garlic), 415
Diurnal, longitudinal, 2
Docosahexaenoic acid, 88

Efficiency of isoleucine utilization, 687
Ektacytometer, 457
Elaidic acid, 244
Electron capture negative ion chemical ionization mass spectrometry, 408
Electron paramagnetic resonance, 370
Electroretinogram, 621
Energy fuels, 464
Energy restriction, 236
Enzyme induction, 676
Epidemiology, 493, 501
Epididymal adipose tissue, 81
Erythrocyte deformability, 457
Essential fatty acids, 388
Estrogen, 67, 560
Ethanol, 164
Evening primrose oil, 629
Exercise, 471, 546

Fat distribution, 489
Fatty acids, 155, 652
Ferritin, 276
Fetus, 136
Fiber, 164
Fibrinogen, 629
Fish oil, 629
Flavins, 149
Flavonoids, 560
Folate, 285
Folate conjugase, 285
Food, 285
Food intake regulation, 47
Free radicals, 355
Fruit, 424

G1 checkpoint, 476
Galactosamine-induced liver injury, 209
Garlic, 60
Gas chromatograph/mass spectrometry, 408
Gastrointestinal peptides, 186
Gender effect, 697
Gene expression, 446
Glucose, 52, 652
Glucose tolerance, 170
Glutamine, 28
Glutathione, 294
Glutathione peroxidase, 23
Glycogen synthase, 81
Glycosaminoglycan, 324
Growth arrest, 136
Growth hormone, 553
Guinea pigs, 37, 402, 464

Hamsters, 591
HDL, 244, 659
Heifers, 380
Hepatic cholesterol homeostasis, 37
Hepatocytes, 355
High-density lipoproteins, 67
Histamine, 142, 586
Histidine, 586
Homocysteine, 351, 629
HPLC, within-between person, 2
Human, 142, 186
Human aortic endothelial cells, 201
Human blood, 93
Human milk, 178
Human serum, 408

J. Nutr. Biochem. 9:723–725, 1998

© Elsevier Science Inc. 1998

655 Avenue of the Americas, New York, NY 10010

0955-2863/98/$–see front matter

Humans, 88, 396
Hydrogenation, 244
27-Hydroxycholesterol, 249
Hydroxyl radical, 308
Hyperinsulinemia, 81
Hypermetabolism, 28
Hypertriglyceridemia, 17
Hypocholesterolemic, 223
Hypothalamus, 553

IL-1, 258
IL-6, TNF, 258
Ileum, 52
Immune system, 560
Immunosenescence, 362
In vivo synthesis, 88
Inflammation, 17
Inhibitory activity, 415
Inositol phosphates, 298
Insulin, 471
Interleukin-1, 201
Internal organs, 332
Interscapular brown adipose tissue, 60
Intestinal colonization, 668
Intra- and intersubject variation, 396
Iron, 276
Iron deficiency anemia, 276
Isoflavones, 193
Isolated hepatocytes, 652
Isoleucine imbalance, 687
Isotope dilution gas chromatography-mass spectrometry, 193

Jejunum, 52

α-Ketoglutarate dehydrogenase, 215
Ketone bodies, 652
Kidney, 636

Lactobacilli, 668
Lard, 582
Lauric acid, 106
LDL, 244, 471
LDL metabolism, 106
Leptin, 47, 553
L-Histidine, 308
Lignans, 193
Linoleic acid, 249
Lipase inhibitor, 516
Lipid emulsion, 149
Lipid peroxidation, 370, 575, 645
Lipid peroxides, 131, 682
Lipids, 131, 682
Lipoprotein (a), 106
Lipoprotein metabolism, 37
Lipoprotein oxidation, 591
Liver, 332, 636, 712
Liver microsomes, 155
Lp(a), 244
Lp(a) concentration, 106
Lp(a) phenotype, 106
Luminal uptake, 332
Lutein, 178
Lycopene, 178
Lyophilized beer, 682
Lyophilized wine, 131, 682
Lysosomal enzymes, 164

Macrophage, 258, 705
Magnesium, 17
Malnutrition, 388
Malondialdehyde, 370
Mammalian lignans, 193
Manganese, 304, 324
Margarine, 244
Mature human milk, 2
MCF-7 cells, 567
Medications, 546
Medium chain fatty acids, 106
Metabolism, 8, 446
Metallothionein, 598
Methionine, 351
Mevalonate, 567
Milk protein gene, 380
ML-1, 31
Mortality, 501
MT-null mouse, 598
Multivitamin infusate, 149
Muscle proteolysis, 28
Mycotoxins, 370
Myristic acid, 249

Neuropeptide-Y, 553
Nitrogen excretion, 613
Norepinephrine secretion, 60
Nutrient deficiency, 136
Nutrition, 525
Nutrition transition, 487
Nutritional performance, 31

Obesity, 81, 487, 493, 501, 511, 516, 535, 697
Obesity surgery, 546
Octadeuterated retinol, 408
Octadeuterated retinyl acetate, 408
Oleic acid, 244
Olistat, 516
Omega-3 fatty acids, 629
Omega-6 fatty acids, 629
Original beer, 682
Original wine, 682
Ovariectomy, 67
Overweight, 489, 493
Oxidation, 567
Oxidative stress, 355
Oxidized low-density lipoprotein, 201

p53, 476
Pancreas, 164
Parenteral nutrition infusate, 149
Peel, 223
Perfusion, 52
Persimmon, 223
PGE_2, 258
pH profiles, 676
Pharmacokinetics, 116
Phospholipids, 67, 155, 388
Photosensitized, 149
Physical activity, 525
Pig, 276
Pituitary, 553
Plasma, 332
Plasma amino acids, 687
Plasma cholesterol, 249
Plasma urea, 613
Prebiotics, 668
Prevention, 535
Probiotics, 668
Proliferating cell nuclear antigen, 236
Propionate, 652
Prostacyclin, 88, 201
Prostate, 712
Prostate cancer, 712
Prostate glands, 236
Protease, 285
Protein, 511
Protein kinase C, 236
Protein kinases, 81
Protein phosphatase-1, 81
Protein-energy, 388
Proteins, 131
Pulp, 223
Purification, 75
Putrescine, 332
Pyridinoline, 402

Rabbit lymphocytes, 294
Rabbits, 582
Randomized fat, 582
RAP-PCR, 136
Rat, 17, 31, 131, 142, 457, 621
Rat hepatocytes, 476
Rat tissues, 23, 676
Rats, 47, 60, 223, 316, 324, 339, 613, 636, 682
Receptor, 142
Recycling, 355
5-α-reductase, 712
Renal failure, 613
Renal function, 170
RER, 464
Retina, 621
Retinoic acid, 8, 446
Retinoid receptors, 446
Retinoids, 676
Retinol, 8, 178, 446
Retinoyl β-glucuronide, 8, 676
Retinoylation, 705
Retinyl ester, 705
Review, 501
Risk factors, 546

School health, 525
Schoolchildren, 535
Selenium, 304, 339
Selenoprotein W, 23
Serotonin, 511
Serum lipids, 267
Sex, 142
Short-chain fatty acids, 652
Simplesse, 267
Singlet oxygen, 308
β-Sitosterol, 712
Skeletal muscle, 332
Small bowel, 332
Smoking, 525

Somatostatin, 553
Soyabean lecithin, 659
Spontaneously hypertensive rat, 415
Stachydrine, 351
Starch, 37
Structured lipid, 267
Sucrose, 37
Sulfation pattern, 324
Sunflower kernels, 636

T-2 toxin, 370
Tallow, 582
Taurine, 249
Taurine deficiency, 621
Taurine synthesis, 99
T-cell proliferation, 362
Testis, 712
Testosterone, 712
Thermogenesis, 60
Thiamine deficiency, 215
Thiamine-responsive megaloblastic anemia, 215
Thromboxane, 88
α-Tocopherol, 155, 201, 344
Total parental nutrition, 316
Toxicity, 31
Trace elements, 304
Trans fatty acids, 93, 244
Transferrin, 276
Transketolase, 215
Transport, 116
Trienzyme treatment, 285
Triglycerides, 344, 629
Tripsinization, 75
Tryptophan, 511
Type-2 RIP, 31

Urinary catecholamine excretion, 396

Valproic acid, 228
Vascular disease, 560
Vascular endothelial cells, 17
Vegetable, 424
Vitamin A, 178, 316, 705
Vitamin A status, 8
Vitamin C, 116, 355, 402, 424
Vitamin E, 67, 294, 339, 355, 424

Weight gain, 489
Weight loss, 516
Western blots, 23
Whole egg diet, 170
Within-feed, 2

Yeast, 370
Youth, 525

Zinc, 304, 598, 636
Zinc deficiency, 47, 457, 621
Zucker rat, 267